



HYDROGEOLOGIC DATABASE Chemical Analysis

[Click HERE to View Information for Well 7VK](#)

Sample Results Color Code Legend

Sample Exceeds [None
Secondary
Primary] **MCL**



Owner Name: **Margret Nance**

Well Key: **7VK**

Site Type: **Well**

TRS: **29N/03E-11D**

PWS Name: **Tree Frog Lane Water System**

DOH PwsID: **01435**

DOH Source #: **1**

Source	Date	Bicarbonate		Conductivity		Hardness		Turbidity	
		Alk	As	Ca	Cl	Fe	K	Mg	TDS
DOH	4/5/1992		< 0.01		< 10	170	< 0.05	68	

Select Summary Statistics

Avg As:	0.005	Avg Cl:	5.0	Avg Hardness:	68	Avg NO3:	1.10
Median As:	0.005	Median Cl:	5.0	Median Hardness:	68	Median NO3:	1.1
Max As:	0.005	Max Cl:	5.0	Max Hardness:	68	Max NO3:	1.1

[Bacteria Samples \(distribution\):](#) No samples available

Disclaimer: Data presented has been collected from a variety of sources. Island County makes no guarantee as to the validity or accuracy of this data.
Please report any errors to the Island County Hydrogeologist.

Generated by the Island County Hydrogeologic Database

1 records printed on 9/14/2019

Note: Items with [blue frames and blue text](#) are clickable hyperlinks to additional information / resources.

Parameter labels with a [red fill color](#) are exhibiting an increasing trend, and those with a [green fill color](#) are exhibiting a decreasing trend.